

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

(store or cache or archive) and (different or other or distinct or separate) and (data format)) and (different or other or distinct or separate) and (data structure)) and row and (identify or recognize) and column - Google Scholar

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

Results 1 - 10 of about 721. (0.16 sec)

[PDF] CRM Terminology Access Path

[psu.edu](#) [PDF]

... A Attack, A Clicks, AH Query, AHQ Tool, A Data, A Data - CiteSeer

... the access time, but does not reflect any changes to the site while in the **cache**. ... with customers on an individual basis, then using that information to treat **different** customers differently. ... typically a subject database that allows users to tap into a company's vast **store** of operational ...

[View as HTML](#) - [All 3 versions](#)

[CITATION] The **data** warehouse lifecycle toolkit

R Kimball, M Ross, W Thorthwaite, J Mundy, B Becker - 2008 - Wiley India Pvt. Ltd.

[Cited by 464](#) - [Related articles](#) - [All 4 versions](#)

XML: an efficient compressor for XML **data**

[psu.edu](#) [PDF]

H Liefke, D Suciu - ... International conference on Management of data, 2000 - portal.acm.org

... uses LZ77 in combination with **other** techniques. ... A dictionary encoding assigns an integer to each new word in the in- put, and **stores** the mapping from codes to ... Consider the following compression of a heteroge- neous source in three steps: 1 **separate** the tags x_1, x_2, \dots from ...

[Cited by 442](#) - [Related articles](#) - [BL Direct](#) - [All 17 versions](#)

[PDF] Mariposa: A new architecture for distributed **data**

[psu.edu](#) [PDF]

M Stonebraker, PM Aoki, R Devine, W Liwin, ... - ... ON DATA ..., 1994 - CiteSeer

... it is possible to move a fragment from one site to another or to **cache** a fragment ... For example, there may be two **different** rules that can be activated when a fragment must be exported ... A site can keep metadata for objects it no longer **stores**, but must **recognize** that this information ...

[Cited by 99](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 39 versions](#)

Structured indexes on results of function applications over **data**

CJ Cunningham, EN Hanson, MM Joshi, CA ... - US Patent ..., 2008 - Google Patents

... This provides for using the index to search in the nested **data**. ... These features allow the use of indexed views to index a **table** on the contents of multi-set or multi-valued attributes ... JCO||EQoO1*oC)cS0Q;^h-Oo||J1o<ZLUQ.<(f)jLQLU£ **Schema** Deployment Tools ...

[Related articles](#) - [All 7 versions](#)

PBX data retrieval and reporting system and method

D Morrison, G Marinelli, B Chin - US Patent 5,623,540, 1997 - Google Patents

... Off. . OTHER PUBLICATIONS The Fourteenth Annual International Computer Software & Applications Conference, George J. Knafli, Oct. ... FROM CURRENT TIME 511 GET TABLE TO COLLECT FROM ISSUE SELECT COMMAND FOR TABLE 512 J STORE DATA INTO FILE. ...

[Cited by 18](#) - [Related articles](#) - [All 7 versions](#)

[book] XML data management: Native XML and XML-enabled database systems

AB Chaudhri, A Rashid, R Zicari - 2003 - books.google.com

... Database 43 3.1 Introduction 43 3.2 Features 44 3.2.1 Schema-less XML Data Store 44 3.2 ... A particular item could be represented using different names (in the simplest case) in two ... an overview of XML and related tech- nologies is provided because several other sources cover ...

[Cited by 119](#) - [Related articles](#) - [All 5 versions](#)

SW-Store: a vertically partitioned DBMS for Semantic Web data management

[mit.edu](#) (PDF)

DJ Abadi, A Marcus, SR Madden, K Hollenbach - The VLDB Journal, 2009 - Springer

... partitioned schemas, since inserted statements about the same subject end up needing to access multiple different partitions (one ... per query, entire rows need to be read into memory from disk (or into cache from memory ... Column-stores store their headers in a separate column ...

[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

OBTAINING A PLAN FOR EXECUTING A QUERY IN A RELATIONAL DATABASE

RJ Besigen, W Hu, S Kethireddy, AP Passe, U ... - 2009 - freepatentsonline.com

... and the same set of indexes, and just a different name, or are located in just a different schema. ... may also be referred to as the GTF, is abstracted from the actual table instances that store data. ... list of generic table formats for N tables specified in a plan in the plan cache, where N ...

System and method for caching data for a mobile application

R Ahad, J Chiang, O Kibirev, R Prakash, S ... - US Patent App. 10/ ..., 2002 - Google Patents

... a cache table not only caches one or more data rows, but also stores, or is ... mobile device may not always be actively communicating with an enterprise server (or other central/master ... presentation may be separated by storing the data separately (eg, in a cache table, snapshot ...

[Related articles](#) - [All 7 versions](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

(store or cache or archive) and (differe

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google